

Journal of Pharmaceutical Research International

34(44B): 39-43, 2022; Article no.JPRI.88406 ISSN: 2456-9119 (Past name: British Journal of Pharmaceutical Research, Past ISSN: 2231-2919, NLM ID: 101631759)

Survey Study on Fundus Diagram: The Untended Dexterity

Hussain Ahmed Khaqan ^{aø}, Sabah Eric ^{b*#}, Ateeq ur Rehman ^{a#}, Hasnain Muhammad Buksh ^{a‡}, Muhammad Ali Haider ^{a¥} and Aamna Jabran ^{a‡}

 ^a Department of Ophthalmology, Post Graduate Medical Institute, Ameer-ud-din Medical College, Lahore General Hospital, Lahore, Pakistan.
^b Govt. Dispensary Muhajar Goth, Mirpurkhas, Sindh Institute of Ophthalmology and Visual Sciences, Hyderabad, Pakistan.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JPRI/2022/v34i44B36345

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/88406

Original Research Article

Received 20 April 2022 Accepted 29 June 2022 Published 16 July 2022

ABSTRACT

Aims: The objective of this survey was to evaluate how routinely and efficiently the skill of fundus drawing is practiced among retinal specialists.

Fundus drawing is an invariably accepted evidence worldwide for documenting various retinal disorders.

Methods: A self-administered online questionnaire was circulated among various ophthalmologists. Potential participants were vitreo retinal surgeons and those ophthalmologists who work in a vitreo retinal department within Asia, United Kingdom and USA. The respondents were asked to mark either "YES" or "NO" for the given questions through google survey form.

Results: Responses were obtained from 68 ophthalmologists in total out of which 57(83.82%) were retinal surgeons and 11(16.18%) were not. 32 (46.38%) admitted drawing fundus diagrams in their routine practice whereas, significantly 37 (53.62%) were not practicing it routinely. 45(66.18%) confessed that they draw single colored fundus drawings of retinal patients and 23(33.82%) did not.

*Assistant Professor;

Professor Ophthalmology;

[#] Consultant Ophthalmologist;

[‡] Senior Registrar;

^{*}Corresponding author: E-mail: drsabaheric@gmail.com;

Conclusion: Regrettably, a large number of ophthalmologists according to our survey seem to be unenlightened with the imperative requirement of a fundus diagram in order to document various retinal pathologies in vitreo retinal patients, despite the fact that this skill has been considered mandatory in routine clinical practice of ophthalmologists.

Keywords: Retinal diagram; questionnaire; retinal pathology; retinal detachment; viterous hemorrhage.

1. INTRODUCTION

Retinal diagrams are paramount in documenting retinal pathology like retinal detachment, retinal vascular lesions, vitreous hemorrhage, etc; which assists to correlate the commute in retinal findings during follow up visits [1,2], helpful where more than one retinal specialist or ophthalmologist is dealing the case and is useful in effortless follow up to track the prognosis of retinal pathology [3,4,5], progression and treatment outcomes at a glance.

Ophthalmologist residents and fellows can be monitored by the supervisors and senior retinal specialists by looking at the fundus diagrams – areas of omission and perplexity can be addressed [6]. "They are superior over digital fundus photographs in many aspects like being less expensive, provide instantaneous record, accentuate finest details that are difficult to photograph and eventually also help in medicolegal aspects" [7].

"Fundus drawings are made on a standard fundus chart, Amsler–Dubois chart, which contains three concentric circles" [8].

"The innermost circle constitutes the equator, the middle circle represents the ora serrata, and the outer one is the junction between the pars plana and plicata. The radial numbered in Roman numerical is used to designate the location and extent of the lesions in clock hours. The optic nerve head is located nasal to the macula and the macula is drawn centrally" [9].

1.1 Color Coding

Red color represents the following [8]:

- 1. Hemorrhages (preretinal and intraretinal)
- 2. Attached retina
- 3. Vascular tumors
- 4. Open interior of conventional retinal breaks (tears, holes)
- 5. Open interior of outer layer holes in retinoschisis
- 6. Open portion of retinal holes in the inner layer of retinoschisis
- 7. Open portion of Giant retinal tear (GRT) or large dialyses
- 8. Elevated neovascularization
- 9. Subhyaloid hemorrhage
- 10. Retinal arterioles
- 11. Inner portion of thin areas of retina
- 12. Neovascularization
- 13. Vascular abnormalities/anomalies
- 14. Macular edema.

Blue color indicates [8]:

- 1. Detached retina
- 2. Retinal veins
- 3. Outlines of retinal breaks
- 4. Inner layer of retinoschisis
- 5. White with or without pressure
- 6. Outline of flat neovascularization
- 7. Outline of thin areas of retina

- 8. Rolled edges of retinal tears (curved lines)
- 9. Cystoid degeneration
- 10. Outline of lattice degeneration (inner "x")
- 11. Outlines of ora serrata (some authors mentioned brown color)
- 12. Outline of change in area or folds of detached retina because of shifting fluid
- 13. Detached pars plana epithelium anterior to the separation of ora serrata

Green color suggests the following:

- 1. Opacities in the media
- 2. Vitreous hemorrhage
- 3. Vitreous membranes
- 4. Hyaloid ring
- 5. Outline of elevated Neovascularisation (NV).
- 6. Intraocular foreign body (IOFB)
- 7. Asteroid hyalosis
- 8. Frosting or snowflakes on cystoid degenerations
- 9. Retinoschisis or lattice degeneration

Brown color represents:

- 1. Uveal tissue
- 2. Pigment beneath detached retina
- 3. Pigment epithelial detachment
- 4. Malignant choroidal melanomas
- 5. Choroidal detachment
- 6. Outline of posterior staphyloma.

Yellow color defines:

- 1. Intraretinal subretinal hard yellow exudate
- 2. Deposits in the retinal pigment epithelium
- 3. Post cryo/laser retinal edema
- 4. Drusen
- 5. Venous sheathing.

Black represents:

- 1. Hyperpigmentation as a result of previous t/t with cryo/diathermy
- 2. Sclerosed vessels
- 3. Pigment in detached retina
- 4. Pigmented demarcation lines at the attached margin of detached retina or within detached retina [8].

The aim of this survey was to evaluate how routinely and efficiently the skill of fundus drawing is practiced among retinal specialists.

Fundus drawing is aninvariably accepted evidence worldwide for documenting various retinal disorders.

2. MATERIALS AND METHODS

A questionnaire was formulated in which the practicing ophthalmologists were asked 5 questions through Google Survey. The survey included particularly retinal surgeons from the UK, USA and Asia.

They were asked how many retinal detachment patients are examined by indirect ophthalmoscope with indentation? Do you think slit lamp fundus examination with fundus condensing lenses 78D, 90D, Panfundoscope)is equally informative as indirect ophthalmoscopy? Do you draw retinal drawings of all retina patients? For how much percent of retina patients do you draw retinal drawings? Do you draw multi color drawings for your retina patients? Do you draw a single color retina for your retina patients?

68 respondents took part in this survey and they were not asked to identify themselves by

mentioning their names but information was implored on their current position i.e;general ophthalmologists or vitreo retinal surgeons.

Questionnaires were inspected with the response of all ophthalmologists grouped together. The degree of internal consistency within the whole group of experts was measured by Kendall's coefficient of concordance (W). All descriptive data were analyzed with a statistical software package (SPSS, Version 16.0 for Windows).

3. RESULTS AND DISCUSSION

Of the 80 Google survey forms distributed online, a total of 70 were returned (i.e. 87.5% response rate), however in 2 of these the respondents had not marked one question. 68 correctly completed survey forms were therefore available for analysis.

Responses were obtained from 68 ophthalmologists in total out of which 57(83.82%) were retinal surgeons and 11(16.18%) were not. The most significant results showed that 53.62% of retinal surgeons and ophthalmologists did not practice the skill of fundus diagrams for their retinal patients. Out of these only 30.88% were drawing multicolored images with proper color coding. It is possible that because of a vast number of retinal patients in regular OPD the

retinal surgeons and general ophthalmologists are confined to a single colored fundus diagram as it is less time consuming.

Scarcely any ophthalmology residents today gain proficiency with the art of multicolored hand made fundus drawing [1,2]. This used to be a key expertise expected by all ophthalmologists. With the emergence of electronic clinical records, digital fundus photography [10], and the ceaseless push to see more patients, the craftsmanship has almost faded away. Be that as it may, there are various motivations behind why the workmanship ought not be disregarded by ophthalmology residents, consultants and retinal surgeons.

In the first place, one should have the option to peruse old clinical graphs; some of which have just fundus drawings without text portrayals of the retina [11,12]. Regardless of the type of ophthalmology you practice, you should peruse and decipher these complex fundus diagrams.

Furthermore, numerous retina experts recommend that requiring some investment to create an appropriate fundus drawing is the most effective way to force ophthalmologists into a legitimate, complete retinal assessment. Retina experts specifically should endow more energy on a color coded pencil drawing of the retina than on the retinal assessment itself [13,14].

Table 1. Demographic profile

Questions	Responses from 68 ophthalmologists				
	100%	75%	50%	25%	0%
For how much % of your retinal detachment patients do you perform indirect ophthalmoscopy with indentation	13(18.84%)	5(7.25%)	8(11.59%)	28(40.58%)	15(21.7%)
how much percentage of	21(30.88%)	8(11.76%)	18(26.47%)	18(26.47%)	3(4.41%)
retina patients get fundus diagram made by you					
	Ye	S	No		
other fundus imaging modalities compared to indirect ophthalmoscopy	22(32.35%)		46(67.64%)		
Do you record retinal drawing of all retina patients	31(45.58%)		37(54.41%)		
Do you draw multicolored drawings of your retinal patients	21(30.88%)		47(69.12%)		
Do you draw a single colored retinal diagram for your retina patients	45(66.18%)		23(33.82%)		

Since the Hippocrate era; documentation has been the mainstay of medical science. Nevertheless, at some place down the line this has turned out to be a lost art seldom executed by many of us [9,13].

4. CONCLUSION

This survey has highlighted the untended dexterity of retinal drawing despite the fact that it is valuable to record a meticulous drawing of all the structures and abnormalities viewed. Present retinal surgeons and fellows tend to ignore and try to escape it under many excuses. Hence, peculiarly this defiance to document is prevalent not only among juniors but extends over the whole spectrum of practitioners.

CONSENT

As per international standard or university standard, patients' written consent has been collected and preserved by the author(s).

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- 1. Chaudhuri Z. Retina and vitreous. In: Postgraduate ophthalmology. 2012th ed. New Delhi: Jaypee. 2012;1137–9.
- Tandon radhika diseases of the retina. In: Parson's diseases of the eye. 22nd ed. New Delhi: Elsevier. 2015;303.
- 3. Survey Reveals Retinal Specialists' Preferences Available:https://www.reviewofophthalmolo gy.com/article/survey-reveals-retinalspecialists-preferences
- 4. UK national survey of current practice and experience of intravitreal triamcinolone acetonide | Eye

Available:https://www.nature.com/articles/e ye2008185

- 5. Documentation & Drawing in Ophthalmology Available:https://www.eophtha.com/posts/d ocumentation-drawing-in-ophthalmology
- 6. The clinical relevance of visualising the peripheral retina ScienceDirect Available:https://www.sciencedirect.com/sc ience/article/pii/S1350946218300399
- 7. Survey of Intravitreal Injection Practice Patterns among Retina Specialists | IOVS https://iovs.arvojournals.org/article.aspx?ar ticleid=2740820
- Retinal drawing Valappil S, Jayan A -Kerala JOphthalmol. Available:https://www.kjophthal.com/article .asp?issn=0976-6677;year=2019;volume=31;issue=3;spag e=251;epage=254;aulast=Valappil
- 9. Available:https://visionresearchfoundation. org/publication/pdf/insight/july_2017.pdf
- 10. Looking deep into retina : Indirect ophthalmoscopy and fundus drawing Available:https://www.slideshare.net/prachi ra/looking-deep-into-retina-indirectophthalmoscopy-and-fundus-drawing
- 11. Available:https://assets.bmctoday.net/retin atoday/pdfs/0319_supp.pdf
- 12. Retinal Drawing: A Lost Art of Medicine -PMC Available:https://www.ncbi.nlm.nih.gov/pm c/articles/PMC3200104/
- Basics of Fundus (Retina) Drawing | ShortWhiteCoats.com Available:http://shortwhitecoats.com/2015/ basics-of-fundus-drawing
 Rhegmatogenous Retinal Detachment:
- Rhegmatogenous Retinal Detachment: Features, Part 1 - American Academy of Ophthalmology. Available:https://www.aao.org/eyenet/articl e/rhegmatogenous-retinal-detachmentfeatures-part-1

© 2022 Khaqan et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/88406