

Journal of Advances in Medicine and Medical Research

Volume 35, Issue 22, Page 226-235, 2023; Article no.JAMMR.107038 ISSN: 2456-8899

(Past name: British Journal of Medicine and Medical Research, Past ISSN: 2231-0614, NLM ID: 101570965)

Knowledge and Awareness of Radiation Hazards and Safety among Dental Hygienists, Dental Assistants and Dental Assistant Interns in Riyadh, Saudi Arabia

Yasmine Ahmed a*, Cristalle Soman b++, Soad AlQahtani c# and Alya Almahdi c#

a Restorative and Esthetics Department, Riyadh Elm University, Riyadh, Saudi Arabia.
 b Department of OMFS and Diagnostic Sciences, Riyadh Elm University, Riyadh, Saudi Arabia.
 c Riyadh Elm University, Riyadh, Saudi Arabia.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/JAMMR/2023/v35i225263

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

https://www.sdiarticle5.com/review-history/107038

Received: 19/07/2023 Accepted: 25/09/2023 Published: 20/10/2023

Original Research Article

ABSTRACT

Introduction: X-ray plays a significant role in the field of dentistry and has a variety of uses in dental practice from diagnosis of tooth decay, periodontal diseases and bone defects to more sophisticated applications such as precision implant planning. The dental staff personnel use different modalities of X-rays on daily basis such as intra-oral radiography and cone beam computed tomography, although diagnostic X-rays have low quantum of ionizing radiation safety measures should be taken into consideration. All health care personnel are trained regrading radiation hazard and safety measures.

⁺⁺ Oral and Maxillofacial Radiologist;

[#] Dental Assistant Specialist;

^{*}Corresponding author: E-mail: YasmineTarek@riyadh.edu.sa;

Aim: To identify the level of Knowledge and awareness about radiation hazards and safety practices among dental hygienists, dental assistants and dental assistant interns in Riyadh, Saudi Arabia.

Materials and Methods: A survey based on cross sectional study was conducted among (n=321) dental hygienists, dental assistants and dental assistant interns in Riyadh, Saudi Arabia. The survey was distributed using mixed methods as handout papers and online mediums. The questionnaire comprised of 14 questions (the total of demographic data was four (4) questions and for knowledge and awareness was ten (10) questions.

Results: From the (321) participants (75.7 %) responses had expected correct answers.

The majority of participants (86%) considered dental x-rays to be harmful to all types of patients.

Conclusion: Within limitations of this study, dental assistants, dental hygienists and dental assisting interns had adequate knowledge and awareness of radiation hazards and safety measures, however, there is a need for continual teaching of ALARA principle and radiation safety protocols during pregnancy to ensure maximum safety.

Keywords: dental hygienists; radiation hazards; dental assistants; periodontal diseases.

1. INTRODUCTION

"From the time of its discovery, X rays have played an important role in the field of medical and dental science"[1] ranging from diagnostic to therapeutic applications, the use of X rays is manifold" [2].

"Probably, the most widespread application is in the field of dentistry from the simple diagnosis of incipient caries, miniscule fractures to aiding in more complex procedures such as precision implant planning" [3].

"Radiographic investigations in medicine cause radiation exposure to both the patient and the radiographer, and care is to be taken to protect both" [4].

"In dental practice diagnostic X-rays possess low quantum of ionizing radiation and currently the policy of practice is to minimize the exposure to ionizing radiation to as low as possible"[5]. All dental care personnel should follow the guidelines to reduce the harmful effects of radiation" [6].

"When diagnostic dental radiographs are taken, both patients and health care personnel are exposed to ionizing radiation, although dental radiography possess low quantum of ionizing radiation maximum caution must be taken to minimize exposure of both dental staff and patients" [7].

"Exposure to dental X-rays is associated with potential risk of cancer for instance a correlation between full-mouth X-rays and salivary gland cancer was revealed in previous studies in addition to increased risk of laryngeal cancer"[8]. Furthermore, Leukemia and low birth weight have been reported as systemic health outcomes related to dental X-ray exposure" [9].

"All health care personnel are trained regrading radiation hazard and safety measures as part of their education and must follow the guidelines to minimize radiation exposure to reduce the harmful effects of radiation" [10].

"In 2014 Knowledge of biological hazards and radiation protection protocols were evaluated in University Taibah in Madinah Responses were collected and compared between two groups of undergraduate dental (preclinical and clinical) where students, knowledge of biological hazards effects of X-ray was noted to be low to medium in the two groups and regrading different protection protocols knowledge levels ranged from medium to high also in the 2 groups. This outcome necessitates continual teaching to ensure maximum safety" [12].

When Mahbob et al. [13], studied "the knowledge, attitude and practice of radiation safety among dental students in the eastern province at King Faisal university, their results reflected the need to expand the curriculum to provide better exposure to radiation protection and its practice so that these students on graduation will be well-grounded with the principle governing dental radiography".

"Furthermore, newly graduate dentists from Egypt and Saudi Arabia were found to be moderately competent regrading IR doses and related safety measures" according to the findings of Basha et al, [14].

Furthermore, in 2022 Basha et al, conducted "a cross-sectional study among newly graduated dentists in Egypt and Saudi Arabia assessing their knowledge about radiation protection and they have concluded that newly graduated dentists from Egypt and KSA are moderately competent regarding IR doses and related safety measures".

Based upon evidence from indexed databases, there is a significant lack of studies from Middle Eastern countries that have investigated the knowledge of dental assistants, dental hygienists regarding IR protection.

Majority of previous studies evaluating the levels of knowledge and awareness of radiation hazards and safety measures were conducted among dental students, dental interns, and general practitioner.

Thus, the aim of this study is to evaluate the level of Knowledge and awareness about radiation hazards and safety practices among dental hygienists, dental assistants and dental assistant interns in Riyadh, Saudi Arabia.

2. MATERIALS AND METHODS

This is a cross sectional study to assess the level of radiation safety practices and awareness among (300) dental hygienists, dental assistants and dental assistant interns in Riyadh, Saudi Arabia.

The study was a questionnaire comprised of (14) questions in clinical and radiology practice.

Part one / 4 questions included the information regarding demographic data such as age, gender, job description, and years of work experience.

Part two / 10 questions which contained knowledge and awareness questions.

On receiving the approval from the institutional research and ethical committee of REU, the questionnaire was distributed among dental hygienists, dental assistants and dental assistant interns in Riyadh city and (321) responses were collected.

2.1 Inclusion Criteria

Dental hygienist practitioners, dental assistant practitioners and dental assistant interns.

2.2 Exclusion Criteria

Other allied dental practitioners.

2.3 Validity of the Questionnaire

The questionnaire for the present study was developed from pre validated questionnaire from "Knowledge on Radiation Protection & Practice among Dental Students" [15].

2.4 Data Analysis

The data was collected in the excel sheets. Descriptive statistics of frequency distribution and percentages were calculated for the categorical variables. A Chi-square test was applied to compare knowledge and awareness responses across different age, gender, job description and years of work experience. The data was analyzed using SPSS version 25 (IBM-Armonk, NY, USA). A (P-value) of p<0.05 was considered significant for all the statistical tests.

3. RESULTS AND DISCUSSION

According to the job description the more significant of the Dental Assisting participants (77%) than Dental Hygienist (21%) and Dental assisting Interns (2%).

According to the gender of (321) participants the majority of female more than male.

According to the years of work experience the participants less than 5 years of work experience (50%) and (38%) participants of 5-15 years and (12%) had greater than 15 years of experience.

The evaluation of the response to our questionnaire showed that majority of participants had adequate knowledge of radiation hazard and safety measures with 75.7% correct responses with majority of participants (86%) consider dental x-rays to be harmful.

85% of the participants considered dental radiographs to be absolutely contraindicated in pregnant women in contrary to the ADA radiation guidelines during pregnancy state that dental radiography is safe if performed when only necessary for the treatment and with following safety and protection guidelines and using all exposure reduction methods.

Based on our results the participants had adequate knowledge of measures used to reduce radiation exposure such as the use of rectangular collimator, digital radiography and high -speed films.

73.8% of participants were aware of the radiation hazard symbol, however, only 53.9% of participants were aware of the usefulness of collimators and filters in dental radiography.

80.4% used lead Aprons regularly, and 80.1% of participants were aware of wearing their personal monitoring badges while operating.

However, only 37.1% of participants were aware of ALARA principle.




Fig. 1. Graphical distribution based on job description




Fig. 2. Graphical distribution based on gender of the participants




Fig. 3. Graphical distribution based on years of experience




Fig. 4. Graphical distribution based on knowledge of the respondent




Fig. 5. Graphical distribution based on awareness of the respondent

Table 1. Knowledge and awareness of radiation hazard and safety between genders

| <u> </u> | | Г | - | | | |
|--|-----|-------------|--------------------|--------|--------------------|--------|
| | | Male (n=45) | | Female | p | |
| Variables | | n | % | n | % | |
| Are Dental X-rays harmful? | Yes | 36 | 80.0% | 240 | 87.0% | 0.213 |
| | No | 9 | 20.0% | 36 | 13.0% | |
| Does Rectangular collimator help in reducing the | Yes | 29 | 64.4% | 182 | 65.9% | 0.844 |
| patient's exposure? | No | 16 | 35.6% | 94 | 34.1% | |
| Does digital radiography require less exposure than | Yes | 28 | 62.2% | 216 | 78.3% | .019* |
| conventional radiography? | No | 17 | 37.8% | 60 | 21.7% | |
| Do high speed films reduce patient radiation | Yes | 32 | 71.1% | 209 | 75.7% | 0.507 |
| exposure? | No | 13 | 28.9% | 67 | 24.3% | |
| Are Dental radiographs absolutely contraindicated in | Yes | 32 | <mark>71.1%</mark> | 241 | <mark>87.3%</mark> | 0.005* |
| pregnant patients? | No | 13 | 28.9% | 35 | 12.7% | |
| Are you aware of the radiation hazard symbol? | Yes | 38 | 84.4% | 199 | 72.1% | 0.081 |
| | No | 7 | 15.6% | 77 | 27.9% | |
| Are you aware of usefulness of collimators and filters | Yes | 28 | 62.2% | 145 | 52.5% | 0.227 |
| in dental radiography? | No | 17 | 37.8% | 131 | 47.5% | |
| Are you aware of ALARA principle? | Yes | 21 | 46.7% | 98 | 35.5% | 0.151 |
| | No | 24 | 53.3% | 178 | 64.5% | |
| Do you use lead Aprons Regularly? | Yes | 35 | 77.8% | 223 | 80.8% | 0.636 |
| | No | 10 | 22.2% | 53 | 19.2% | |
| Are you aware of the personal monitoring badges | Yes | 37 | 82.2% | 220 | 79.7% | 0.696 |
| that should be worn by the operator? | No | 8 | 17.8% | 56 | 20.3% | |

There was a statistically significant difference (*P* =0.005) between male and female participants regarding knowledge of absolute contraindication of dental *x*-rays in pregnant patients

Table 2. Knowledge and awareness of radiation hazard and safety based on job description

| Variables | | Dental hygienist | | Dental assistant | | Dental Assistant intern | | |
|--|-----|---------------------|-------|---------------------|-------|-------------------------------|--------|-------|
| | | n | % | n | % | n | % | p |
| Are Dental X-rays harmful? | Yes | 58 | 86.6% | 212 | 86.2% | 6 | 75.0% | 0.661 |
| | No | 9 | 13.4% | 34 | 13.8% | 2 | 25.0% | 1 |
| Does Rectangular collimator help in reducing the patient's exposure? | Yes | 49 | 73.1% | 155 | 63.0% | 7 | 87.5% | 0.127 |
| | No | 18 | 26.9% | 91 | 37.0% | 1 | 12.5% | 1 |
| Does digital radiography require less exposure than conventional radiography? | Yes | 51 | 76.1% | 185 | 75.2% | 8 | 100.0% | 0.271 |
| | No | 16 | 23.9% | 61 | 24.8% | 0 | 0.0% | 1 |
| Do high speed films reduce patient radiation exposure? | Yes | 51 | 76.1% | 184 | 74.8% | 6 | 75.0% | 0.976 |
| | No | 16 | 23.9% | 62 | 25.2% | 2 | 25.0% | 1 |
| Are Dental radiographs absolutely contraindicated in pregnant patients? | Yes | 56 | 83.6% | 212 | 86.2% | 5 | 62.5% | 0.169 |
| | No | 11 | 16.4% | 34 | 13.8% | 3 | 37.5% | 1 |
| Are you aware of the radiation hazard symbol? | Yes | 52 | 77.6% | 179 | 72.8% | 6 | 75.0% | 0.724 |
| | No | 15 | 22.4% | 67 | 27.2% | 2 | 25.0% | 1 |
| Are you aware of usefulness of collimators and filters in dental radiography? | Yes | 39 | 58.2% | 126 | 51.2% | 8 | 100.0% | - |
| | No | 28 | 41.8% | 120 | 48.8% | 0 | 0.0% | |
| Are you aware of ALARA principle? | Yes | 29 | 43.3% | 86 | 35.0% | 4 | 50.0% | 0.341 |
| | No | 38 | 56.7% | 160 | 65.0% | 4 | 50.0% | 1 |
| Do you use lead Aprons Regularly? | Yes | 58 | 86.6% | 194 | 78.9% | 6 | 75.0% | 0.344 |
| | No | 9 | 13.4% | 52 | 21.1% | 2 | 25.0% | 1 |
| Are you aware of the personal monitoring badges that should be worn by the operator? | Yes | 60 | 89.6% | 191 | 77.6% | 6 | 75.0% | 0.090 |
| | No | 7 | 10.4% | 55 | 22.4% | 2 | 25.0% | |
| | | | | | | | | |

There was no statistically significant difference when comparing Knowledge and awareness of radiation hazard and safety among job description of participants

When comparing Knowledge and awareness of radiation hazard and safety based on years of work experience there was a statistically significant difference (P=0.000) regarding the use of high-speed films to reduce patient's radiation exposure, furthermore, awareness of usefulness of collimators and filters in dental radiography and awareness of ALARA principles showed a statistical significance of (P=0.008) and (P=0.000 respectively).

There are limited studies to evaluate awareness of radiation hazard and safety measures among allied dental specialists such as dental hygienists and dental assistants despite their exposure to dental x-rays as members of the clinical dental team.

Although dental radiography can be relatively safe due to its minimal exposure, it still can be hazardous. Radiation protection protocol should focus mainly on reducing the exposure to the

dental personnel and the patients in dental office [16] and to achieve that a thorough radiography training and understanding of safety measures are required to ensure safety of dental staff and patients"[17].

The results showed majority of participants had the knowledge of harmful effects of dental radiation and agreed that maximum caution should be taken while handling diagnostic imaging in dental setup"[18].

For the question "are dental radiographs absolutely contraindicated in pregnancy?" 85% of our participants considered dental radiographs to be absolutely contraindicated in pregnant women, which was significantly higher when compared with previously conducted studies on dental students and dental interns by Swapna et al in 2017 only where 46% of students believed it was absolutely contraindicated and another study by Razi et al conducted among dentists only 42% believed so"[19-20].

Table 3. Knowledge and awareness of radiation hazard and safety based on years of work experience

| | | | | | | ı | | |
|--|-----|-----------|--------------------|------------|-------|-----------|--------------------|-------|
| Variables | | < 5 years | | 5-15 years | | >15 years | | |
| | | n % | | n % | | n % | | р |
| Are Dental X-rays harmful? | Yes | 146 | 90.1% | 99 | 81.1% | 31 | 83.8% | 0.090 |
| | No | 16 | 9.9% | 23 | 18.9% | 6 | 16.2% | |
| Does Rectangular collimator help in reducing the patient's exposure? | Yes | 111 | 68.5% | 78 | 63.9% | 22 | 59.5% | 0.502 |
| | No | 51 | 31.5% | 44 | 36.1% | 15 | 40.5% | |
| Does digital radiography require less exposure than conventional radiography? | Yes | 130 | 80.2% | 91 | 74.6% | 23 | 62.2% | 0.060 |
| | No | 32 | 19.8% | 31 | 25.4% | 14 | 37.8% | |
| Do high speed films reduce patient radiation exposure? | Yes | 140 | <mark>86.4%</mark> | 79 | 64.8% | 22 | <mark>59.5%</mark> | .000* |
| | No | 22 | 13.6% | 43 | 35.2% | 15 | 40.5% | |
| Are Dental radiographs absolutely contraindicated in pregnant patients? | Yes | 138 | 85.2% | 104 | 85.2% | 31 | 83.8% | 0.974 |
| | No | 24 | 14.8% | 18 | 14.8% | 6 | 16.2% | |
| Are you aware of the radiation hazard symbol? | Yes | 124 | 76.5% | 86 | 70.5% | 27 | 73.0% | 0.513 |
| | No | 38 | 23.5% | 36 | 29.5% | 10 | 27.0% | |
| Are you aware of usefulness of collimators and filters in dental radiography? | Yes | 101 | <mark>62.3%</mark> | 54 | 44.3% | 18 | <mark>48.6%</mark> | .008* |
| | No | 61 | 37.7% | 68 | 55.7% | 19 | 51.4% | |
| Are you aware of ALARA principle? | Yes | 82 | <mark>50.6%</mark> | 29 | 23.8% | 8 | <mark>21.6%</mark> | .000* |
| | No | 80 | 49.4% | 93 | 76.2% | 29 | 78.4% | |
| Do you use lead Aprons Regularly? | Yes | 134 | 82.7% | 94 | 77.0% | 30 | 81.1% | 0.489 |
| | No | 28 | 17.3% | 28 | 23.0% | 7 | 18.9% | |
| Are you aware of the personal monitoring badges that should be worn by the operator? | Yes | 135 | 83.3% | 94 | 77.0% | 28 | 75.7% | 0.329 |
| that should be worn by the operator? | No | 27 | 16.7% | 28 | 23.0% | 9 | 24.3% | |

For the same question there was a statistically significant difference (P = 0.005) between male and female participants.

ALARA stands for:As low as reasonably achievable, this principle is pivotal to lower radiation exposure to absolute minimum for protection from hazards and in the present study 62.9% of participants were unaware of it, and similar results were found in 2022 in a cross-sectional study by Basha et al, on newly graduated dentists from Egypt and Saudi Arabia and found 58% of their participants also lacking awareness of the ALARA principle, such findings are alarming.

4. CONCLUSION

Dental hygienists, dental assistants and dental assistant interns working in Riyadh city showed adequate knowledge and awareness of dental radiation hazards and use of protective measures during their work. However, there was a significant misconception regarding dental x-ray safety protocol during pregnancy.

In addition, we have found major lack of awareness of ALARA principle and the usefulness of different devices in dental radiography such as collimators and filters.

CONSENT AND ETHICAL APPROVAL

An informed consent was obtained from each participant after explaining the study in full and clarifying that participation is voluntary. Data collected were securely saved and used for the research purposes only. Ethical approval was obtained from the research ethics committee of Riyadh Elm University.

ACKNOWLEDGEMENTS

First of all , we thank God for the completion of this scientific research . We would lik to express our gratitude for our dean Dr-May alkhudairy our mentor in scientific reserach, who taught us the first part of this amazing course.

We would like to take this opportunity to express our sincere thanks and gratitude to our supervisor an eminent Dr-Yasmine Ahmed for her great support and guidance in completing this research and we would like to extend our thanks to our co.supervisor Dr-Cristalle Soman for her support.

And special thanks to our wonderful course director Dr. Ahlam Bahauddin for her great efforts with us throughout this semester. Who taught us with passion and paved the way for us to start our own research journey.

Finally we are proud of ourselves as young researchers to have completed this course of SRW427 and conducted this study.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

- Almaghrabi N. A study of knowledge & awareness of radiation exposure risk in makkah, Saudi Arabia. Int J Adv Res 2016:4:1852-6.
- Bushong SC. Radiologic Science for Technologists: Physics, Biology and Protection. 11th ed. St. Louis: Elsevier; 2017.483 90.
- Fahmida R, Deepa G, Madhu S. Knowledge, attitude and practice of radiation exposure protection for pediatric patients among undergraduate dental students. Biomed Pharmacol J. 2018;11: 1143 51.
- 4. Su-Yeon Hwang, Eun-Sil Choi, Young-Sun Kim, Bo-Eun Gim, Mina Ha3, Hae-Young Kim. Environmental Health and Toxicology Journal. 2018;33(4).
- Hobbs JB, Goldstein N, Lind KE, Elder D, Dodd GD, Borgstede JP. Physician knowledge of radiation exposure and risk in medical imaging. J Am Coll Radiol. 2018:15:34-43.
- 6. Motwani Mukta B, Tagade Pooja P, Dhole Apeksha S, Khator Apurva D. Knowledge and attitude amongst the dental and medical students towards radiation hazards and radiation protection: A questionnaire survey. Int J Dent Res. 2019;4:438.
- 7. Ihle IR, Neibling E, Albrecht K, Treston H, Sholapurkar A. Investigation of radiation

- protection knowledge, attitudes, and practices of North Queensland dentists. J Investig Clin Dent. 2019;10:e12374.
- Arnout EA, Jafar A. Awareness of biological hazards and radiation protection techniques of dental imaging- A questionnaire based cross-sectional study among saudi dental students. J Dent Health Oral Disorder & Therapy. 2014;1(2): 1–7.
- 9. Nazargi Mahabob, Mahmoud Alabdulsalam, Abdulrahman Alabduladhem, Sulaiman Alfavz, Abdullah Alzuriq, Ali Mohammed Almomin. Knowledge, Attitude and Practice about radiation safety among the undergraduates in Eastern province dental college, Journal of Pharmacy and Bioallied Sciences. 2021; 13:(7).
- Soha Mohamed Ali Basha, Munerah Saleh BinShabaib, Shatha Subhi ALHarthi. Assessment of Knowledge towards radiation protection measures among newly graduated dentists from Egypt and the Kingdom of Saudi Arabia: A Questionnaire-Based Cross-Sectional Study, Dentistry Journal. 2022;10(8).
- Lingam Amara Swapna, Pradeep Koppolu, Bassel Takarji, Sadeq Ali Al-Maweri, Nagalaxmi Velpula3, Vani Chappidi3, Lalitha Ch. Knowledge on radiation protection & practice among Dental Students, British Journal of Medicine & Medical Research. 2017;19(7):8.
- Agrawal B, Dosi T, Hazari A, Maheshwari C, Rajput R, Yadav N. Evaluation of radiation protection awareness amongst general dental practitioners of Western Rajasthan in India. J Int Oral Health. 2015; 7:51-5.
- Aldossari H, Ahmed Naji A, Al Shammari AK. Evaluation of awareness on radiation protection and knowledge about ionising radiation among patients awaiting radiological examinations: A crosssectional survey. Austin J Radiol. 2019; 6(3):110
- Amizh P, Jayanth K. To study awareness about radiation protection among dental students of Chennai A questionnaire based study. Int J Pharm Bio Sci. 2017;8:542 51.12.
- 15. Bae JM. An overview of systematic reviews of diagnostic tests accuracy. Epidemiol Health. 2014;36:e2014016.
- Bahreyni Toossi MT, Malekzadeh M. Radiation dose to newborns in neonatal

- intensive care units. Iran J Radiol. 2012;9: 145–9.13.
- 17. Briggs-Kamara MA, Okoye PC, Omubo-Pepple VB. Radiation safety awareness among patients and radiographers in three hospitals in Port Harcourt. Am J Sci Ind Res. 2013;4:83–8.
- 18. Bushong SC.Radiologic Science for Technologists: Physics, Biology, and
- Protection. 10th ed. St. Louis, USA: Mosby; 2012.
- 19. Crane GD, Abbott PV. Radiation shielding in dentistry: an update. Aust Dent J. 2016;61(3):277-281.
- 20. Halboub ES, Barngkgei I, Alsabbagh O, Hamadah O. Radiation-induced thumbs carcinoma due to practicing dental X-ray. Contemp Clin Dent. 2015;6(1):116-118.

© 2023 Ahmed et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/107038